NEX-751-LED

Steel Body NYC Approved Emergency Lights

Source: 4.8W Normal

2W or 3W Emergency Operation

Type Project Catalog No. Notes

PRODUCT DESCRIPTION

Rugged 20 gauge steel luminaires comply with the latest New York City codes and performance standards. Available in exit or exit/ emergency combination units

FEATURES

- · 120/277VAC Dual voltage operation
- · 20-gauge steel housing with white powder coating
- · Large 8" font with 1" stroke
- · Includes single and double faces
- · Two or three glare-free, adjustable round LED heads
- · Removable knockout chevron directional arrows
- · Illuminates for 90 minutes during power failure
- · Meets City of New York state codes

ELECTRICAL

Voltage: 120/277VAC dual input

Wattage: 4W Normal, 2W or 3W Emergency Operation

Light Source: LED

Circuitry Protection: Solid State

Construction: Low profile, snap-together housing constructed of 20 gauge steel. Snap-out knockouts for wiring.

Face: Both double and a blank face are included with 8" red letters and 1" stroke. Knockout directional chevrons.

Emergency: Two or three 1W / 100Im per head LED emergency lights.

Mounting: Wall or side mount. All mounting hardware included.

Battery: NiCad 3.6V 600mAH per head battery offers 90-minute emergency operation on fully charged battery.

Testing: High-charge / ready operation indicator light and test button.

LABELS AND LISTINGS

- UL Listed
- New York City Approved
- NFPA-101
- · Suitable for Damp Location








PRODUCT IMAGES AND DIMENSIONS





Steel Body NYC Approved Emergency Lights

Catalog No.

NEX-751LED/R2 = NYC Approved Steel LED Exit with Two 12W Adjustable Heads, Battery Backup, Red NEX-751LED/R3 = NYC Approved Steel LED Exit with Three 9W Adjustable Heads, Battery Backup, Red

Example: NEX-751-LED/R2 = NYC Approved Steel LED Exit with Three 12W Adjustable Heads, Battery Backup, Red

